



**Cambridge International Examinations**  
Cambridge International General Certificate of Secondary Education

---

**MATHEMATICS**

**0580/12**

Paper 1 (Core)

**October/November 2016**

MARK SCHEME

Maximum Mark: 56

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is the registered trademark of Cambridge International Examinations.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

---

This document consists of **4** printed pages.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2016</b>	<b>0580</b>	<b>12</b>

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
<b>1 (a)</b>	6	<b>1</b>	
<b>(b)</b>	2.5	<b>1</b>	
<b>2 (a)</b>	$\frac{9}{100}$	<b>1</b>	
<b>(b)</b>	[0].3	<b>1</b>	
<b>3</b>	< > =	<b>2</b>	<b>B1</b> for two correct
<b>4 (a)</b>	Correct arrow	<b>1</b>	
<b>(b)</b>	$\frac{2}{20}$ oe or 0.1 or 10%	<b>1</b>	
<b>5 (a)</b>	$6 + 12 \div (2 \times 3) = 8$	<b>1</b>	
<b>(b)</b>	0.625 oe	<b>1</b>	
<b>6 (a)</b>	$\begin{pmatrix} 15 \\ -21 \end{pmatrix}$	<b>1</b>	
<b>(b)</b>	$\begin{pmatrix} 3 \\ -13 \end{pmatrix}$	<b>1</b>	
<b>7 (a)</b>	5	<b>1</b>	
<b>(b)</b>	6	<b>1</b>	
<b>8 (a)</b>	24 or 48 or 72 or ...	<b>1</b>	
<b>(b)</b>	53 or 59	<b>1</b>	
<b>9 (a)</b>	15 000 cao	<b>1</b>	
<b>(b)</b>	$1.5 \times 10^4$	<b>1FT</b>	<b>FT their (a)</b>

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2016</b>	<b>0580</b>	<b>12</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part marks</b>
<b>10</b>	25	<b>2</b>	<b>B1</b> for 67 or 113 seen once in correct position or <b>M1</b> for $a + 42 = 67$ or $a + 42 + 113 = 180$ or better
<b>11</b>	21	<b>2</b>	<b>M1</b> for $k - 8 = 13$ or $6k - 48 = 78$ or better
<b>12</b>	58	<b>2</b>	<b>M1</b> for $\frac{(13+16) \times 4}{2}$ or $4 \times 13 + \frac{1}{2} \times 4 \times 3$ oe
<b>13</b>	7.42 or 7.418 to 7.419	<b>2</b>	<b>M1</b> for $\sin [32 = ] \frac{x}{14}$ or better
<b>14</b>	262	<b>3</b>	<b>M2</b> for $9 \times 6 \times 5 - 2 \times 2 \times 2$ oe or <b>M1</b> for $9 \times 6 \times 5$ or $2 \times 2 \times 2$ oe
<b>15 (a)</b>	0.98 oe	<b>1</b>	
<b>(b)</b>	50 cao	<b>2</b>	<b>M1</b> for $2500 \times 0.02$ If zero scored, <b>SC1</b> for answer of 2450
<b>16 (a)</b>	(7, 1)	<b>1</b>	
<b>(b)</b>	-1.25 or $-\frac{5}{4}$ or $-1\frac{1}{4}$	<b>2</b>	<b>M1</b> for rise/run
<b>17 (a)</b>	<i>B</i> and <i>D</i>	<b>1</b>	
<b>(b)</b>	5.6	<b>2</b>	<b>M1</b> for $\frac{h}{4.2} = \frac{12.8}{9.6}$ oe or correct scale factor
<b>18 (a)</b>	(9, 14) identified	<b>1</b>	
<b>(b)</b>	Positive	<b>1</b>	
<b>(c)</b>	Ruled line of best fit	<b>1</b>	
<b>(d)</b>	Speaking test score	<b>1FT</b>	<b>Strict FT</b> their straight line of best fit
<b>19 (a)</b>	32	<b>1</b>	
<b>(b)</b>	150	<b>3</b>	<b>M2</b> for $180 - \frac{360}{12}$ or $\frac{180 \times (12 - 2)}{12}$ or $\frac{(2 \times 12 - 4) \times 90}{12}$ or <b>M1</b> for $\frac{360}{12}$ or $180 \times (12 - 2)$ or $(2 \times 12 - 4) \times 90$ soi

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2016</b>	<b>0580</b>	<b>12</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part marks</b>
<b>20</b>	Common denominator 24  Two correct from $\frac{18}{24}$ , $\frac{16}{24}$ and $\frac{3}{24}$ oe  $1\frac{7}{24}$ cao	<b>B1</b>  <b>M1</b>  <b>A2</b>	accept $k \times 24$  accept $\frac{18k}{24k}$ , $\frac{16k}{24k}$ and $\frac{3k}{24k}$  <b>A1</b> for $\frac{31}{24}$ or $\frac{31k}{24k}$ or $1\frac{7k}{24k}$
<b>21 (a)</b>	$9p$ final answer	<b>1</b>	
<b>(b)</b>	$4q - 12$ final answer	<b>1</b>	
<b>(c)</b>	$5t(2 + 3t)$ final answer	<b>2</b>	<b>M1</b> for $t(10 + 15t)$ or $5(2t + 3t^2)$
<b>(d)</b>	$[x = ] 3$ , $[y = ] -2$ with supporting working	<b>2</b>	<b>B1</b> for one correct with working  If zero scored, <b>SC1</b> for 2 values satisfying one of the original equations or <b>SC1</b> if no working shown, but 2 correct answers given